

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	2970	(video near3 (conferenc\$4 or meet\$4)) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 11:48
L10	0	(video near3 (conferenc\$4 or meet\$4)) with telephone with push\$4 with start\$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 11:51
L11	13	(video near3 (conferenc\$4 or meet\$4)) with telephone and push\$4 with start\$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 11:51
L12	4	(video near3 (conferenc\$4 or meet\$4)) with telephone same adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:09
L13	9	(video near3 (conferenc\$4 or meet\$4)) with telephone same (receiv\$4 or transmit\$4) with (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:18
L14	2	nortel.as. and video near3 (conferenc\$4 or meet\$4) with set\$up and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:21
L15	214	nortel.as. and video near3 (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:22
L16	143	nortel.as. and telephone with (meeting or conferenc\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:23

L17	144	15 not L16	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:23
L18	9	data near3 conferenc\$4 near4 appliance and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:54
L19	19	telephone near4 manag\$4 near4 conferenc\$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 12:54
L20	0	computer near3 request\$4 with (conferenc\$4 or meet\$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:22
L21	1	computer near4 (send\$4 or transmit\$4) with (ID or identification) with adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:43
L22	107	computer near4 (send\$4 or transmit\$4) with (ID or identification) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:43
L23	1488	computer near4 (send\$4 or transmit\$4) near4 (ID or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:44
L24	20	computer near4 (send\$4 or transmit\$4) near4 (ID or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:44
L25	821	computer near4 (send\$4 or transmit\$4) near4 (ID or identification) near4 (computer or device or adaptor or telephone or proxy) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:55

L26	79	(computer near4 (send\$4 or transmit\$4) near4 (ID or identification) near4 (computer or device or adaptor or telephone or proxy)).ab.ti. and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:55
L27	76	26 not 124	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:56
L28	0	computer near4 (send\$4 or transmit\$4) near4 (meet\$4 or conferenc\$4) adj2 (ID or identification) near4 (computer or device or adaptor or telephone or proxy) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:56
L29	2	computer near4 (send\$4 or transmit\$4) near4 (meet\$4 or conferenc\$4) near4 (ID or identification) near4 (computer or device or adaptor or telephone or proxy) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:56
L30	4	notel.as. and video near3 (conferenc\$4 or meet\$4) same SIP and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 13:59
L31	1	telephone with receive\$4 near3 (meeting or conference) adj3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:04
L32	1	telephone with receive\$4 near3 (meet\$4 or conferenc\$4) adj3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:05
L33	1	(telephone or adaptor) with receive\$4 near3 (meet\$4 or conferenc\$4) adj3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:05

L34	20	(telephone or adaptor) with receiv\$4 with (meet\$4 or conferenc\$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:06
L35	224	receiv\$4 with (meet\$4 or conferenc\$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:10
L36	15	computer with receiv\$4 with (meet\$4 or conferenc\$4) near4 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:11
L37	5	computer near4 (send\$4 or transmit\$4) near4 (data or information or ID or identification) near4 adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:30
L38	307	computer near4 (send\$4 or transmit\$4) near4 (data or information or ID or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:31
L39	1	computer near4 (send\$4 or transmit\$4) near4 (data or information or ID or identification) near4 telephone same conferenc\$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:32
L40	36	(computer or device) near3 (send\$4 or transmit\$4 or receiv\$4) near4 (ID or identification) with (conferenc\$4 or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:46
L41	197	telephone and (send\$4 or transmit\$4 or receiv\$4) near4 (ID or identification) with (conferenc\$4 or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:52
L42	3	bridge near3 receiv\$4 near4 (ID or identification) same (meet\$4 or conferenc\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 14:59

S1	4	((("6601087") or ("6654032")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:25
S2	7280	(709/204,206).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:27
S3	39	(schedul\$4) with (meet\$4 or conferenc\$4) same (transmit\$4 or send\$4) with (id or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:39
S4	2	("7185054").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:35
S5	50	video with (meet\$4 or conferenc\$4) same (transmit\$4 or send\$4) with (id or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:39
S6	8	video with (meet\$4 or conferenc\$4) same (transmit\$4 or send\$4) with (id or identification) same telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49
S7	20	(setUp) with (conferenc\$4 or meet\$4) same telephone same computer and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:48
S8	226	(server with host\$4 with conferenc\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:48
S9	9899	(transmit\$4 or send\$4) with (id or identification) same telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49

S10	153006	(transmit\$4 or send\$4) with (id or identification) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:49
S11	6196	(transmit\$4 or send\$4) with (id or identification) with telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:50
S12	2971	(transmit\$4 or send\$4) with (id or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:50
S13	30	(transmit\$4 or send\$4) with (id or identification) near4 telephone same (conference or meeting) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:55
S14	7	(obtain\$4) with (conference) near2 (ID or identification) same ("data center" or server) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:57
S15	2	(conference near2 server) with (send\$4 or transmit\$4) with (meeting or conference) near2 (id or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:03
S16	2	("20070192410").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:04
S17	2	("6760749").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:06
S18	2	("20030035527").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:07

S19	2	("5995608").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:09
S20	2	("6501740").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 17:09
S21	76	(video or audio) near3 (conferenc\$4 or meeting) near3 set\$up and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:00
S22	18	(establish\$4 or set\$up) with (video or audio) near3 (conferenc\$4 or meeting) near3 (identification or ID) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:08
S23	29	server near3 host\$4 with (video or audio) near4 (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:17
S24	2	(send\$4 or transmit\$4) near2 (video or audio) near4 (conferenc\$4 or meet\$4) near3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:21
S25	4	(send\$4 or transmit\$4) near2 (video or audio) near4 (conferenc\$4 or meet\$4) with (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:22
S26	6	(send\$4 or transmit\$4) near2 (video or audio) with (conferenc \$4 or meet\$4) with (ID or identification) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:23
S27	20	(computer near2 telephone) same (meeting or conferenc\$4) near2 device and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:36

S28	109	(computer and telephone) with (connect\$4 or coupl\$4) with (conferenc\$4 or meeting) near2 (device or computer or telephone) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:43
S29	0	telephone with conferenc\$4 with push with start with meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27
S30	0	telephone same conferenc\$4 same push same start same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27
S31	12	telephone same conferenc\$4 same start same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:27
S32	17	telephone same conferenc\$4 same start\$4 same meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:28
S33	936	(send\$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:40
S34	223	(computer or user) with (send \$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:41
S35	5	(computer or user) near2 (send \$4 or transmit\$4) near3 start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 13:41
S36	96	codec with encod\$4 with message and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 14:44

S37	1	codec with enco\$4 with message near2 (identification or ID) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 14:44
S38	0	PCSPSTN with adapter and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:42
S39	328533	adapter connect\$4 with (computer or laptop) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:43
S40	251427	adapter connect\$4 with (computer or laptop) with (online or video) with (meet\$4 or conferenc\$4) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:45
S41	4	adapter with connect\$4 with (computer or laptop) with (online or video) with (meet\$4 or conferenc\$4) with network and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:45
S42	2	("20030072429").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:48
S43	0	("2003/0072429").URPN.	USPAT	OR	OFF	2008/12/13 10:48
S44	4	((("6671262") or ("6807564"))).PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:49
S45	662	bridg\$4 with (computer or laptop) with server and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:54

S46	1600	tele\$phone near3 adapter and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:54
S47	358	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S48	265	tele\$phone near3 adapter with connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S49	2	tele\$phone near3 adapter with connect\$4 with (computer or laptop or device) same conferenc\$4 and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:55
S50	971	(379/201.01).CCL.S.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:57
S51	2	S48 and S50	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:58
S52	3	S47 and S50	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:58
S53	86630	("379").CLAS.	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59
S54	110	S53 and S47	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59

S55	85	S53 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 10:59
S56	1	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) near4 (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:05
S57	2	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) same (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S58	96	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (conferenc \$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S59	36	S58 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:07
S60	2	("6175565").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:15
S61	226	(computer or user) with (send \$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:26
S62	86630	("379").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27
S63	86630	S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27

S64	21	S62 and S61	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:27
S65	358	tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
S66	358	S65	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
S67	3	S65 and S61	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 12:29
S68	6	adaptor with connect\$4 with handset with base and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 11:23
S69	223	device with connect\$4 with handset with base and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 11:29
S70	27	device with connect\$4 near4 between with handset with base and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 11:29
S71	2	computer with send\$4 with start with meeting and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 13:48
S72	2	start\$4 with meeting with command with computer and (@ad<="20030603" or @rlad<="20030603")	US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 13:50

S73	9001	adaptor with connect\$4 with computer same send\$4 start\$4 with (meet\$4 or conferenc\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 13:53
S74	0	adaptor with connect\$4 with computer same send\$4 with start\$4 with (meet\$4 or conferenc\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 13:54
S75	214	adaptor near3 (caus\$4 or send\$4 or transmit\$4) near2 (command or signal) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 14:07
S76	9	adaptor near3 (caus\$4 or send\$4 or transmit\$4) near2 (command or signal) near3 (computer or network) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 14:09
S77	4	((("6671262") or ("6807564"))). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/06/10 14:19
S78	2	("2003/0072429").URPN.	USPAT	OR	OFF	2009/06/10 14:22
S79	9092	nortel.as. and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 08:59
S80	143	nortel.as. and telephone with (meeting or conferenc\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:00
S81	0	nortel.as. and telephone with start\$4 near4 (meeting or conferenc\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:19

S82	164	telephone with adaptor with computer and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:33
S83	1	telephone with adaptor with computer and computer with (send\$4 or transmit\$4) with (conferenc\$4 or meet\$4) near5 adaptor and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:34
S84	4	(telephone with adaptor with computer).ab.ti. and (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:43
S85	104	(telephone with adaptor with computer).ab.ti. and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:53
S86	1	(telephone with coupled with adaptor with computer).ab.ti. and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 09:54
S87	15	telephone with bridge with computer with data near3 network and (@ad<="20030603" or @rlad<="20030603")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 10:03
S88	1279	(379/202.01,202.02).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 10:15
S89	14	S88 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/17 10:15

EAST Search History (Interference)

<This search history is empty>

12/17/2009 3:27:54 PM

**C:\Documents and Settings\btiv\My Documents\EAST\Workspaces
\10699103_conference_setup_phones.wsp**